



2010 Inspire Sports Price List

Parallel Bars & Accessories		
1001	Competition parallel bars FIG Standard, Height: 145-205cm, Width: 41-61cm, Bar length :350cm, tightened by the handles.	3499
1001-1	Competition parallel bars FIG Standard, Height: 140-210cm, Width: 41-61cm, Bar length :350cm, tightened by the screws.	3599
1001-2	Low bars Height: 44cm, Width: 32-52cm, Bar length :350cm	1199
1001-3	Low bars Height: 44cm, Width: 32-52cm, Bar length :270cm	999
1001-4	Parallel Bars Training Blocks Block size:138 x120 x 50cm,the width between two blocks:40cm.	899
1001-6	Middle mat of parallel bars Two layers,the upper mat made of EVA,the lower mat made of foam,both PVC leather cover. Release move mat for parallel bars	299
1001-7	Outside diameter:20cm,inside diameter:5cm,length:120cm. Outside folder Cotton,inside PVC leather.	69
1029	Wood Veneered Fiberglass Rails for 1001 (piece) Length 350cm	349
1046	Landing soft mat for parallel FIG Standard, Dimensions: 200×200×10 cm	275
1103	Transport Trolley for Parallel Bars	179
1003	Junior parallel bars Height: 120-160cm, Width: 37-47cm, Length of rail: 270cm	1949

1054	Height Adjustable Spotting Platform for Parallel Bars Platform Dimensions: 244×25cm, Height: 55-80cm	467
1183	Safety Pads for Parallel Bar Posts (set) Thickness: 5cm	149
Horizontal Bar & Accessories		
1005	Competition horizontal bar- including rail and tension Chains FIG standard- Height: 250-295cm, spring steel rail without rail cover. diameter of section:2.8cm	Call for quote
1005-1	Competition horizontal bar- including rail and tension Chains FIG standard- Height: 250-295cm, stainless spring steel rail without rail cover. diameter of section:2.8cm	Call for quote
1005-2	Competition horizontal bar- including rail and tension Chains FIG standard- Height: 250-295cm, spring steel rail with rail cover. diameter of section:2.8cm	Call for quote
1005-3	Competition horizontal bar- including rail and tension Chains FIG standard- Height: 250-295cm, stainless spring steel rail with rail cover. diameter of section:2.8cm	1799
1005-4	Recreational Parallel horizontal bar Height: 140-190cm,width adjustable,bar length 190cm, Steel spray bar	1199
1006-1	Training horizontal bar (Junior horizontal bar) Height: 150-250cm, stainless steel rail without rail cover. diameter of section:2.8cm	Call for quote
1028	Steel Rail for Horizontal Bar 1005 Length 246cm, diameter of section:2.8cm, stainless spring steel rail without rail cover.	Call for quote
1108	Safety pads for horizontal bar 1005 (pair) Thickness:5cm	140
1038	Quick Release Horizontal Bar with men's or women's rail and tension system Height: 150-280cm, stainless spring steel rail without rail cover.	1399
1055	Height adjustable spotting platform for horizontal bar Dimensions: 100×45cm,,Height 120-160cm	599
1114	Release move mat for horizontal bar Thickness: 20cm, Length 120cm	109
1045	Landing soft mat for horizontal bar Dimensions: 200×400×10 cm,PVC leather cover	495

1027-1	Rail for Horizontal Bar(competition) Length 246cm ,diameter of section:2.8cm, stainless spring steel rail with rail cover	429
1107	Double tension rope for horizontal bar For competition	Call for quote
1109	Single tension system for horizontal bar For training	Call for quote
Uneven Bars & Accessories		
1007	Competition Uneven Bars FIG Standard. Width 130-190cm, Low Bar 140-180cm, High Bar 220-260cm	2499
1111	Safety Pads for Uneven Bar Posts(set) Thickness:5cm Release mat for Uneven Bars	259
1111-1	Outside diameter:20cm,inside diameter 4cm,length:120cm.	109
1030	Fiberglass Rail with Wood Veneer bar for 1007 (piece)	359
1043	Landing soft mat for Uneven Bars Dimensions: 200×200×10 cm,PVC leather cover	275
1138	Height adjustable spotting platform for uneven bars Dimensions: 100×45cm, Height 120-160cm	599
1112	Double tension rope for uneven bar	Call for quote
1113	Quick Tension Release for Cables	Call for quote
Balance Beam & Accessories		
1009	Competition Balance Beam Height: 90-140cm,length 500cm. Aluminum beam	2090
1009-2	Wood balance beam Length 183cm,width 10cm,height 30cm.	199
1009-3	Wood balance beam Length 305cm,width 10cm,height 30cm.	299
1009-4	Floor Roll-out Balance Beam, Length 250cm,the upper width 15cm,the lower width 24cm,height 8cm	199
1009-P	PU mat for balance beam Dimensions: 100×100×1.5 cm	179
1009-P1	Release layer for balance beam rubber strip stick with Aluminum beam	Call for quote
1115	Leg Pads for Balance Beam (pair)	195
1104	Transport trolley for Balance Beam	132
1048	Landing soft mat for Balance Beam Dimensions: 200×200×10 cm,PVC leather cover	275
Vaulting Table & Accessories		

1146	Competition vaulting runway width 1m, length 25m, Thickness: 2.5cm	Call for quote
1119	Yurchenko Springboard safety mat Dimensions: 120×100×20 cm	325
1012	Competition vaulting table one leg FIG standard- Height:105-135cm, air pressure system.	2799
1012-1	Safety mat for vaulting table one leg Thickness 20cm,surrounding vaulting table one leg	Call for quote
1011	Competition Vaulting Table with Two Legs Height:100-135cm	Call for quote
1011-1	Safety Pads for vaulting table two leg Thickness 5cm	Call for quote
1011-2	Transport trolley for vaulting table	Call for quote
1041	Landing soft mat for vaulting table Dimensions: 600×200×10 cm,PVC leather cover	Call for quote
Pommel Horse & Accessories		
1013	Competition Pommel Horse FIG Standard- Height 110-150cm, leather cover, with transport system.	2279
1013-1	Leg Pads for Pommel Horse Thickness:5cm	189
1014	Training Pommel Horse FIG Standard- Height 110-150cm,PVC leather cover, with transport system.	Call for quote
1058	Pommels with fixing bolt (pair)	Call for quote
1105	Transport Trolley for Pommel Horse	Call for quote
1121	Floor tension system for pommel horse	Call for quote
Rings & Accessories		
1015	Competition Rings FIG Standard, Height: 250-285cm	2255
1015-1	training ring wall fixed	Call for quote
1015-P	Wood rings diameter of section:2.8cm,inside diameter 18cm,wooden	Call for quote
1123	Safety Pads for Rings Posts (set)	189
1122	Double tension system for ring(set)	Call for quote
1031	Rings & Cable /set For competition	299
1016	Quick Adjustable Rings Height: 50-275cm	1979
1016-P	Rings & Cable /set For training	Call for quote

1047	Landing soft mat for ring Dimensions: 200×200×10 cm,PVC leather cover	275
Free Exercise Floor & Accessories		
1017-1	Competition Floor FIG Standard- Total Area 14×14m, Competition Area 12X12, High Quality Non-woven carpet.with EPDM blocks.	Call for quote
1017-2	Competition Floor FIG Standard- Total Area 14×14m, Competition Area 12X12, High Quality Nylon Carpet. with EPDM blocks.	Call for quote
1017-P1	Completion floor surface total Area 14×14m,thickness 3.5cm,XPE material ponded with high quality Non-woven carpet.red or blue,14×2m per strip,7pcs	Call for quote
1017-P2	Completion floor surface nylon carpet Total Area 14×14m, Competition Area 12X12, Light milky yellow,the surrounding carpet is 1.33m width,red.800kg/m2	Call for quote
1017-P3	Completion floor surface XPE elastic layer 25kg/m3 XPE material,thickness 3.5cm,connected by Velcro,without carpet.	Call for quote
1017-P4	Completion floor plywood bonded EPDM blocks Height 102mm,height of plywood 12mm.EPDM blocks: 60×60×90mm	Call for quote
Landing Mats		
1040	Competition Landing Mats for Balance Beam FIG Standard, Thickness: 20cm,total area:48m2	Call for quote
1034	Competition Landing Mats for Vaulting Table FIG Standard, Thickness: 20cm, total area:15m2	Call for quote
1036	Competition Landing Mats for Rings FIG Standard, Thickness: 20cm, total area:10m2	Call for quote
1124	Competition Landing Mats for Parallel Bar FIG Standard, Thickness: 20cm,total area:32.5m2	Call for quote
1032	Competition Landing Mats for Horizontal Bars FIG Standard, Thickness: 20cm, total area:36m2	Call for quote
1035	Competition Landing Mats for Pommel Horse FIG Standard, Thickness: 10cm, total area:16m2	Call for quote
1039	Competition Landing Mats for Uneven Bars FIG Standard, Thickness: 20cm, total area:28m2	Call for quote
1128	Soft mat 600x200x10 cm	659

1129	Soft mat 400x200x10 cm	495
1130	Mat 150x100x6 cm	165
1131	Mat 200x100x6 cm	219
1132	landing mat 4cm EVA and foam,300x200x30 cm	979
1167	Crash mat 200x200x20 cm	269
1168	Crash mat 300x200x20 cm	792
1136	Crash mat 300x200x30 cm	1108
1063	Soft mat 200x200x10 cm	275
1139	Foldable mat fold in three 244x122x5 cm	199
1140	Crash mat 150x100x20 cm	275
1169	Crash mat 250x200x20 cm	650
1170	Crash mat 200x100x20 cm	
1171	Crash mat 125x100x20 cm	
1172	soft mat 200x100x2.3 cm	149
Springboard		
1141	Competition Springboard (Soft version) FIG Standard, 60x120x22 cm	Call for quote
1142	Small springboard 60x101.6x22 cm	348
1173	Springs for springboard For 1141 and 1067	22
1067	Competition Springboard (Hard version) FIG Standard, 60x120x22 cm	552
Methodical Equipment & Protection Appliance		
1010	Low Training Beam Length: 300cm, Height 30cm	999
1010-1	Low Training Beam Length: 500cm, Height 30cm	1353
1144	Padded Beam Throw Mat Length: 90cm,thickness 4cm	119
1120	Parallettes(pair):length 70cm	79
1094	Rings Strength Machine Length 250 cm, the low end height 50cm,the high adjustable height 75-125cm	768

1147	Wall Bars Width: 100cm, Height: 250cm, Distance between bars: 20cm, double	748
1147-1	Wall Bars Width: 100cm, Height: 250cm, Distance between bars: 20cm,single	519
1052	Handstand Bouncer Length 180 cm, Width: 200cm, Height:100-150cm	1098
1064	Seven layer vaulting box Length 150cm,the top width 40cm,the bottom width 100cm,height 125cm	998
1064-1	Five layer vaulting box Length 130cm,the top width 38cm,the bottom width 90cm,height 100cm	795
1065	Gym block 75x45x60 cm	225
1066	Gym block 90x75x60 cm	295
1110	Quick Tension Release for Cables	Call for quote
1117	Surface Enlargement for Balance Beam Length: 200 cm, Width: 15cm	Call for quote
1118	Surface Enlargement for Balance Beam Length: 3m, Width: 15cm	Call for quote
1021	Buck Horse Length: 43cm, Height: 80-110cm	451
1022	Mushroom Height: 45cm, Diameter 60cm	482
1022-1	Big mushroom Height: 45cm, Diameter 120cm	725
1024	Mushroom with 1 pommel Height 45cm, Diameter 60cm	548
1023	Floor Buck Horse with 2 Pommels Length 85cm, Height 30cm	781
1025	Floor Buck Horse with 1 Pommel Length 65cm, Height 30 cm	615
1092	Chinese Circle Machine Diameter 190 cm , Height 78 cm	1219
1057	Height Adjustable Mushroom Diameter: 60cm, Height: 60-80cm	515
1057-1	Landing mats for Height Adjustable Mushroom 300x300x10 cm	795

1018	Single Rail Bar Height: 220-265cm,adjustable	Call for quote
1018-1	Multi-function Single Rail Bar Adjustable height 150-280cm	Call for quote
1019	Single Rail Bar Height: 140-185cm	Call for quote
1020	Floor Pommel Horse L160cm, W35cm,H28cm,leather.	1499
1020-1	Floor Pommel Horse L160cm, W35cm,H28cm,PU leather.	1299
1020-2	Landing mats for floor Pommel Horse Thickness: 10cm, total area:16m2	Call for quote
1044	Landing soft mat for floor Pommel Horse 200x400x10 cm	0
1051	Low buck Horse L43cm, W30cm	295
1059	Tumbling track for gymnastics artistic training Dimensions:L1700XW184cm, height:13.5cm。	Call for quote
1174	Spotting Rope for pulley spotting system	Call for quote
1175	Spotting Belt	Call for quote
1176	Twisting Spotting Belt(small size) Inner diameter: 31cm	Call for quote
1176-1	Twisting Spotting Belt(middle size) Inner diameter: 37cm	Call for quote
1176-2	Twisting Spotting Belt(big size) Inner diameter: 42cm	Call for quote
1177	Pulley for Spotting system Include one single pulley and one double pulley	Call for quote
Gymnastics equipments for kids		
1100-1	Mini dome box.L90 xH20cm	74.25
1100-2	Steep cheese Mat. L100 xW70xH48cm	159.75
1100-3	Standard box. L70 xW38xH24cm	83.25
1100-4	3 step stair box. L114 xW70xH72/48/24cm	303.75
1100-5	Thin box. L100 xW58xH48cm	216
1100-6	Trapezoid box. Top L60 xW40cm,Bottom L90 xW60cm	231.75
1100-7	2 step stair box. L76 xW70xH48/24cm	159.75
1100-8	Hexagon box. L100 x48cm/42cm	168.75
1100-9	Foldable cheese Mat. L200 xW70xH48cm, Turn in to a box. L100 xW70xH53cm	276.75
1100-10	Cylinder box. L100 x46cm	153

1100-11	Foam module Semicircular, diameter:160cm,thickness 50cm	492.75
1100-12	Foam module Trapezoid box,length 120cm,the top width 15cm,the bottom width 67cm,height 49cm.	290.25
1100-13	Foam module Small Slope shape , length 99cm, width 56cm,height 45cm	200.25
1100-14	Foam module Semicircular with straight flange, length 70cm, width 39cm,height 37cm	101.25
1100-15	Foam module Springboard shape, length 80cm, width 50cm,height 20cm	105.75
1100-16	Foam module Big Hexagon box, 160 x 66/57cm	461.25
1100-17	Foam module Big cylindrical box Φ 69 x100cm	344.25
1100-18	Foam module Big triangle, length 160cm, width 100cm,one end height 58cm,another end height 14cm.	634.5
1100-19	Foam module Teardrop, length 90cm, width 50cm,height 42cm,can be hanged to wall bars	234
1004-1	Recreational parallel bars Height:100-150cm,adjustable width,bar length 190cm	799
1008	Recreational Uneven Bars Width:110-150cm, Low Bar Height: 110-145cm, High Bar Height:145-180cm. fiberglass veneered rail	979
1008-1	Recreational Uneven Bars Width:110-150cm, Low Bar Height: 110-145cm, High Bar Height:145-180cm.steel spray rail.	Call for quote
1098	Rings for kids Length: 200 cm, Width: 180cm, Height Adjustable	832.5
Competition Accessories		
1070	Gym Chalk, 288 blocks of 56g each (box)	308
1069	Gym Chalk Stand	132
1102	Floor Anchor	44
1060	Score flashing stand with numbers	33
1061	Gymnastics Grips for Rings, Horizontal Bar, and Uneven Bars	0
1062	Gymnastics Shoes	0
1068	Floor Chalk Box for Vault 30x30x5 cm	39

Rhythmic floor		
1101	Rhythmic floor FIG standards,Dimensions:1400X1400cm, Competition Area:1300X1300cm,800g/m2 nylon carpet.	Call for quote
1042	Rhythmic landing soft mat FIG standards,200x400x10 cm	Call for quote
1127	Mat 600x200x10 cm	Call for quote
1178	Rhythmic Gymnastics Ball	Call for quote
1179	Rhythmic Gymnastics Batons	Call for quote
1180	Rhythmic Gymnastics Hoop	Call for quote
1181	Rhythmic Gymnastics Ribbons	Call for quote
1182	Rhythmic Gymnastics Skipping Rope	Call for quote
1143	gym bench	Call for quote
Tumbling		
1088-2	Competition Rod Tumbling Strip with Matting and Landing Zone FIG Standard- 3550 X 200X30cm, the main runway composed of fiberglass rods. Run-up area length 1100cm, Landing Zone: 300x600X30cm XPE foam laminated carpet for tumbling track(upper layer)	17900
1088-2-P1	2550 X 200X4cm, Non-woven carpet.	Call for quote
1088-2-P2	XPE foam for tumbling track(second layer) 2550 X 200X4cm	Call for quote
1088-2-P3	Run-up wooden parts for tumbling track 1100 X 100X28.5cm	Call for quote
1150	Competition Landing Zone for Rod Tumbling Strip 300x600x30cm,	5790
1150-1	Soft mat for tumbling track landing area 200x400x10 cm	Call for quote
1150-2	Cover for tumbling track landing area 300x600 cm	Call for quote
1150-3	XPE foam laminated carpet for run-up 1100x100cm,thickness 2.5cm.	Call for quote
Competition Trampolines		
1071-1	Complete Competition Trampoline FIG Standard , dimension 910x305 cm ,4x6 mm or 4x5 mm nylon web bed, with safety tables, mats, and one pair lifting roller stands, double supports.	8900

1151-1	Complete Competition Trampoline FIG Standard, dimension 910x305 cm ,6x6 mm nylon web bed, with safety tables, mats, and one pair lifting roller stands, double supports..	Call for quote
1152-1	Competition Trampoline: FIG Standard, dimension 518x305 cm ,4x6 mm or 4x5 mm nylon web bed,with one pair lifting roller stands, without safety tables and mats, double supports.	5900
1153-1	Competition Trampoline: FIG Standard, dimension 518x305 cm ,6x6 mm nylon web bed, with safety tables, mats, and one pair lifting roller stands, double supports..	Call for quote
1153-2	Competition Trampoline frame dimension 518x305 cm, one pair lifting roller stands,without bed and springs. double supports..	Call for quote
1221	Master trampoline 457 x 275x99cm, weight 205kg. 13x13 mm nylon web bed, size 366 x 183cm,one pair of lifting roller stands, without safety tables and mats.	Call for quote
Spare parts for competition trampolines		
1154	Safety table (for 1071, 1151, 1152, 1153) (pair)	Call for quote
1154-P	Black nylon bed For safety table	Call for quote
1154-P1	Cowhells For safety table	Call for quote
1154-P2	Support cowhells For the frame	Call for quote
1155	Inclined Safety Mats (for 1071, 1151) (pair) 300 x 240x20cm,include triangle Pads	Call for quote
1156	Pads for the frame	Call for quote
1156-1	Safety webbing for pads	Call for quote
1157	Landing mats for competition trampoline Width 200cm,thickness 20cm,total area 64m2	Call for quote
1137	trolley	Call for quote
1137-P	Wheels for trolley	Call for quote
1205	Push mat for trampoline 150 x 100x8cm	169
1206	Trampoline Spotting Platform Width: 20 cm, Length: 150cm	Call for quote
1207	Safety rope Nylon,diameter 10mm	Call for quote

Double-Minitramp		
1096	Double Mini-tramp with roller Jumping bed 285 x 92 cm, frame 350 x 190 x 70 cm, roller FIG stands	2970
1096-P3	Springs for DMT Φ0.3XΦ2.9X22.9cm	Call for quote
1158	Pads for DMT	Call for quote
Minitramp		
1095	Open-End-Mini-tramp 13mm or 6mm nylon web bed, frame pads, Length: 140cm, Width: 130cm, Net: 90x64 cm, Height: 40-60cm, 28 springs, foldable	Call for quote
1159	Pads for Open-End-Mini-tramp	Call for quote
1079	Standard Mini-tramp frame 130x130 cm, Jumping bed 70x70 cm, Frame Pads, 40 springs	625
1079-2	Standard Mini-tramp frame 126x126 cm, Jumping bed 70x70 cm, Frame Pads, 40 springs	685
1160	Pads for Mini-tramp	
Trampoline track		
1085	Trampoline track foldable Frame 200 cm wide, height. 70cm length of each section 186cm.include jumping bed , frame pads and transport system ,total length 1860cm.	11690
1086	Trampoline track non foldable Frame 200 cm wide, height 70cm., length of each section 200cm, frame pads, jumping bed, with frame pads. Length 1800cm	7150
1085-P3	Pads for 18.6m trampoline track	Call for quote
1218/1219	Web bed width140cm, 13x13mm nylon web,length 1860cm.	Call for quote
1200	Air track Length 1500cm,width 200cm,height 20cm.	Call for quote
Jumping beds		
1072	Webbed Trampoline Bed: 426x213 cm, 4x6 mm nylon web, with arch bars	Call for quote
1072-1	Webbed Trampoline Bed: 426x213 cm, 4x5mm nylon web, with arch bars	Call for quote
1072-2	Webbed Trampoline Bed: 426x213 cm, 4x4mm nylon web, with arch bars	Call for quote

1072-3	Webbed Trampoline Bed: 426x213 cm, 6x6mm nylon web, with arch bars	Call for quote
1072-4	Webbed Trampoline Bed: 426x213 cm, 13x13mm nylon web, with arch bars	Call for quote
1073-7	Webbed Trampoline Bed 366x183 cm, 6x6mm nylon web, include arch bars	Call for quote
1074-1	Webbed Trampoline Bed: 366x183 cm, 13x13 mm nylon web, include arch bars	Call for quote
1163	Webbed Trampoline Bed: 70x60 cm, 6x6mm nylon web bed Open-End-Minitramp	Call for quote
1164	Webbed Trampoline Bed: 70x60 cm, 13x13 mm nylon web, for Open-End-Minitramp	Call for quote
1145	Webbed Trampoline Bed 70x70 cm, 6x6mm nylon web bed	Call for quote
1145-1	Webbed Trampoline Bed 70x70 cm, 13x13mm nylon web bed	Call for quote
Steel springs		
1076-1	High Performance Trampoline Spring length 256mm, diameter 29 mm, for 1071, 1151, 1152, 1153	Call for quote
1076-2	High Performance Trampoline Spring length 145 mm, diameter 20 mm, for 1071, 1151, 1152, 1153	Call for quote
1076-3	High Performance Trampoline Spring for corner length 264 mm, diameter 40mm, for 1071, 1151, 1152, 1153	Call for quote
1076-4	Padding lift	Call for quote
1215	Springs for trampoline track length 190 mm, diameter 30mm, for 1085,1086	Call for quote
1148	High Performance Steel Spring: Length 185 mm, diameter 32mm,for mini tramp.	Call for quote